

DTaP (Diphtheria, Tetanus and Pertusis/Whooping Cough)

- Required for entry into childcare or school
- Only used for children ages 2 months through 6 years of age
- Free for children through age 6 who are VFC eligible
- Cost is \$39.00 for those who are not VFC eligible

DTaP, Hep B and polio combination vaccine (Pediarix)

- Combination vaccine may be used to meet individual vaccine requirements
- Can be used instead of single vaccines for age-appropriate children
- Free for children age 2-6 years who are VFC eligible*
- Cost is \$94.00 for those who are not VFC eligible

DTaP, Polio and Hib combination vaccine (Pentacel)

- Combination vaccine that may be used to meet individual requirements
- Free for children who are 2 months through 4 years of age and VFC eligible
- Cost is \$119.00 for those who are not VFC eligible

EIPV (Polio)

- Required for entry into childcare or school until 18 years of age
- Free through age 17 for children who are VFC eligible
- Cost is \$66.00 for those who are not VFC eligible

Haemophilus Influenza Vaccine (Hib) Note: this is not regular flu vaccine

- Required for entry into childcare or school
- Not given after 4 years of age except for certain high risk children ages 5-18
- Free through age 4 and high-risk children ages 5-18 who are VFC eligible
- Cost is \$62.00 for those who are not VFC eligible

Hepatitis A

- Free for children ages 12 months through 18 years who are VFC-eligible*
- \$56 for ages 1-18 who are not VFC eligible*
- \$62 for ages 19 and up
- 2 doses required

Hepatitis B

- Required for entry into childcare or school
- Free for the following:
 - Children age 0-18 years who are VFC eligible
 - Household contacts to carriers

- Refugees from endemic countries
 - Sexual or needle sharing contacts to acute or chronically infected persons
- Cost is \$66 per dose for persons age 20 and older, including those needing Hepatitis B vaccine for employment (3 doses needed)
- Cost is \$51.00 for those 0-19 years who are not VFC eligible

Human Papilloma Virus (HPV – Gardasil)

- Free for females and males 9-18 years who are VFC eligible*
- \$176 for others
- Recommended for males and females 9-26 years of age (3 doses series)

Influenza (Flu) (injectable)

- Seasonal
- State may provide at no cost for younger children; varies yearly
- If not free,
 - All ages \$20

Flu Mist (Nasal Spray)

- Ages 2 - 49, healthy and not pregnant
- \$20

Measles/Mumps/Rubella (MMR)

- Required for entry into childcare or school
- \$56 for those needing repeat doses for employment purposes
- Not given if younger than 12 months old
- Free for those age 0-18 years of age who are VFC eligible
- Free for those entering an NC college for the first time
- Free for adults without proof of prior MMR vaccination
- All others \$93

Meningococcal Conjugate Vaccine (Menactra)

- Required for entry into some colleges(only for persons ages 2-55)
- One dose needed before age 16 and 2 if given after age 16
- Free for 2-10 year olds who are VFC eligible AND at high risk
- \$147 for those not VFC eligible
- Free for those entering an NC college for the first time

Pneumococcal Conjugate Vaccine (Prevnar)

- Not required by law
- No cost children under 5 years who are VFC eligible*, uninsured children, and for children 6-7 years of age with certain medical conditions

- \$165 for those not eligible for free vaccine - may have to order

Rotavirus (only for children ages 6-32 weeks of age)

- Free for children who are VFC eligible and who are high risk
- Cannot begin series after 12 weeks of age and cannot be given after 32 weeks of age
- \$113 for others; for-pay vaccine not always in stock; will order as needed

Tdap (Tetanus, diphtheria & pertussis/whooping cough)

- Required for students entering 6th grade in a public school on or after August 1, 2008 if 5 or more years have elapsed since last dose of Td; and for students not in public schools who are 12 years of age on or after August 1, 2008 if 5 or more years have elapsed since the last dose of Td
- One dose is recommended for anyone 10 years of age or older to replace one dose of Td
- Free for 10-18 years of age who are VFC eligible
- Free for NC college entrants who have never had Tdap
- Free if needed for wound management
- \$71 for others

Twinrix (Hepatitis A/Hepatitis B Combination)

- Free for uninsured
- Free for ages 18 and up who meet high risk criteria (3 doses)
(Free Twinrix vaccine cannot be used for the accelerated, 4 dose series or for persons with a documented history of a completed hepatitis A or B series)
- High risk persons are:
 - men who have sex with men
 - IV drug users
 - Persons with multiple sex partners
 - Persons who have been incarcerated
 - Persons who are Hepatitis C or HIV positive
 - Persons seeking treatment for an STD
 - Persons with chronic liver disease
 - persons receiving family planning services who are not in a mutually monogamous relationship
- \$91 for others

Varicella (Chickenpox)

- Required for persons born after April 1, 2001
- Not given if younger than 12 months of age (2 doses needed)
- Free for children through age 18 who are VFC eligible
- Cost is \$128 for ages 19 and up

Zostavax (Shingles vaccine)

- One dose recommended for adults ages 50 and older with a Doctor's order
- Cost is \$204